




MIR Mosaic has been a leader in manufacturing and distribution of premium quality glass, natural stone, shell, and metal products for the tile industry for many years. Our offerings reflect the latest and most innovative trends in mosaic tile industry. We specialize in many areas, which include hand cut mosaics, water jet designs, and even luxurious semi-precious materials. Our Northern California and New Jersey facilities serve dealers and distributors in all 50 US states as well as Canada. The variety and quality of our lines permit us to meet the needs and performance requirements of almost any project, whether large or small, residential or commercial. We strive to meet our clients' needs and expectations by offering a variety of marketing tools, easy to use web site with dealer portal and mobile app for IOS and Android devices.

At Mir, we have always been innovators with ideas and concepts that when combined with the most cutting edge technology and unmatched artistry, create the most unique and exciting products. Inspired by fashion and the latest interior design developments we bring our clients the widest and most unique selection of mosaic tiles.

In 2017, we continue designing our product lines and adding even more new and dynamic collections. The name MIR has become synonymous with magnificence, high quality, and innovation.







A grand collection of hand crafted marble mosaics beautifully suited to contemporary, mid-century and classic modern interiors. Combinations of finishes create drama or subtlety for any room design. With beauty and durability, Marbella can create pure luxury in any environment.






Photo features KB-G01



^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.








Photo features KB-P31, KB-P22, MGR-1P, MGR-2P



^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.




CARRARA HEX 1X1" POLISHED Code: KB-G02P



CARRARA HEX 2X2" POLISHED Code: KB-G03P




CARRARA HEX 3x3" POLISHED Code: KB-G06P



CARRARA HEX 1X1" HONED Code: KB-G02H



CARRARA HEX 2X2" HONED Code: KB-G03H





CARRARA HEX 3x3" HONED Code: KB-G06H



Photo features KB-G02P













^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.









Chip size 0.7x2*3/8", sheet size Material: Emperador Dark / Trav

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.




Photo features KB-CV01



Photo features KB-CV04



^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.










^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Create a space that captures the trends. This elegant group of mosaics, accompanied by classic field tiles and moldings will create the most classic and timeless looks. Use D.C. Metro to design the look and feel of presidential royalty.












Photo features DC-OV2




Natural • DC METRO COLLECTION









ANACOSTIA Code: DC-R02



Photo features DC-R01



* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.








Photo features SE-F01, FCA-1224P on the wall and DC-S06, DC-S07 on the floor



^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.






Photo features DC-H01, MBA-2P, MBA-3P



^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.








Photo features FCA-36BP, SE-G09, MCA-2P, MCA-3P



^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.


Natural ● DC METRO COLLECTION



CARRARA 4X12 POLISHED Code: FCA-412P



CARRARA 4X12 HONED Code: FCA-412H



CARRARA BASE POLISHED Code: MCA-3P





Photo features FCA-36P, FCA-412P, DC-H01

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Mykonos conjures visions of all white structures on the islands of Greece. In the Aegean Sea, it is one of the most popular, glamorous and relaxing islands. Thassos stone patterns form a luxurious feeling of classic yet timeless, from traditional to contemporary.








Photo features MKN-05, FTS-36BP, MTS-2P, MTS-3P



^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.












^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Natural ● MYKONOS COLLECTION

Natural ● MYKONOS COLLECTION









^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



THASSOS 12X24 POLISHED Code: FTS-1224P


Size 12x24" Material: Thassos Polished



THASSOS 12X24 HONED Code: FTS-1224H

Size 12x24" Material: Thassos Honed





^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Tuscany Collection fuses the diverse faces this region is known for; it's artful cities and rolling country sides. This collection is rich with traditional, contemporary and transitional design elements. Produced from Calacatta Marble each piece will bring warmth to any project.









Photo features TSC-S14, TSC-G24H

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Natural ● TUSCANY COLLECTION 39









* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Natural ● TUSCANY COLLECTION 41 Natural • TUSCANY COLLECTION









PIENZA

Code: TSC-R06

CASENTINO



ELBA

Code: TSC-G25





Code: TSC-G24H

Sheet size 10x10" Material: Calacatta Gold Honed














Photo features TSC-G25




* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



CALACATTA 12X24 POLISHED Size 12x24" Code: FCT-1224P Material: Calacatta Gold Polished





^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

The Marmara Collection was inspired to embody the elemental elegance of the stone. The shapes and patterns in this collection complement the materials layered veining making it ideally suited for mid-century and classic contemporary interiors and exteriors.









Photo features MRM-CV05

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.





ISTANBUL Code: MRM-S16



AND POLISHED

Code: FMR-412H


Size 4x12" Material: Equator **EQUATOR 4X12 HONED**



Code: FMR-36H / FMR-36P







EQUATOR BASEBOARD

Code: MMR-3P



Natural • MARMARA COLLECTION 47



* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



Photo features MRM-R05



Photo features MRM-S17

Embodying the varying textures of Vienna's picturesque roof line, the three-dimensional Vienna collection brings traditional shapes to modern design. Created from various stones and glass this collection is stunning to the eye and exquisite to the touch. You are sure to transcend the boundaries of your project with the Vienna Collection.




Photo features VNA-B34







Photo features VNA-D08

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.


Sheet size 10x10" Material: Crema Marfil Honed















Code: VL-B28



Photo features VL-G14P, VL-B28





^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.






Photo features VL-G14P, VL-B26

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

A city off the coast, the state's capital, and the Southern metropolis that is in the minds of many. Savannah features dramatic design, opulent interiors and is magnificently diverse. This collection reflects it all with a totally captivating light gray color and mild veining. Wood grain and exquisite designer charm combined with graceful geometry will "wow" your next project.







Photo features SV-G04, SV-32SL, SV-S81

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.







Photo features SV-P55, KB-P31



* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.











^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.










^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.



Photo features SV-OV1, MGR-2P



Code: SV-OV1



WOODEN GRAY 12X24 HONED / WOODEN GRAY 12X24 POLISHED Code: FGR-1224H / Code: FGR-1224P





WOODEN GRAY 3X6 BEVELED AND POLISHED Code: FGR-36BP



WOODEN GRAY 4X12 POLISHED Code: FGR-412P



WOODEN GRAY 3X6 POLISHED Code: FGR-36P



WOODEN GRAY 4X12 HONED Code: FGR-412H




WOODEN GRAY 3X6 HONED Code: FGR-36H Size 3x6" Material: Wooden Gray Honed



WOODEN GRAY PENCIL POLISHED Code: MGR-1P



WOODEN GRAY CHAIR RAIL POLISHED Code: MGR-2P



WOODEN GRAY BASE POLISHED Code: MGR-3P



* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

This city is a perfect blend of urban attractions and natural wonders. Bardiglio is a marble that creates that perfect blend of color and classic design. Create a lavish designer living space with our newly created stone mosaics and inspiring field tiles, accents and moldings.







Photo features SE-P06P, SE-G07

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Natural ● SEATTLE COLLECTION

Natural ● SEATTLE COLLECTION






Photo features SE-D01

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Natural • SEATTLE COLLECTION








Photo features SE-P07, SE-B10

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Elegance, and sophistication, combined with the boldness of black and white inspire a cherished favorite duo in this collection. Make a statement with these conventional classics in design, or just find the very best of the basics in Tuxedo Park.











Photo features TX-S09T

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.





NERO SQUARE POLISHED Code: TX-S09P (M009-20P)



NERO SQUARE TUMBLED Code: TX-S09T (M009-20T)



Photo features TX-B01P, MTX-2P



Code: TX-G17P



NERO 3X6 BEVELED AND POLISHED Code: FTX-36BP



NERO 3X6 HONED Code: FTX-36H




NERO 4X12 POLISHED Code: FTX-412P



NERO 4X12 HONED Code: FTX-412H



NERO CHAIR RAIL POLISHED Code: MTX-2P



4x0.8x12" / 2x1x12" / 0.6x0.7x12" Material: Eastern Black

Size



NERO CHAIR RAIL HONED Code: MTX-2H





* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

A collection that will inspire a lush island living space anywhere with a special vibe and an essence, touched and inspired by Balinese influence. Mosaics of glass and stone combined with classic design, let in a warm and welcoming character. Textures, glass and stone all blended with 3 stone colors complete any designer's dream space.








Photo features BL-02CA, FCA-1224P

^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.





Photo features BL-01CA, BL-07CA



Photo features BL-03CA




















BALINESE WOODEN GRAY Code: BL-04WG BATIK WOODEN GRAY Code: BL-05WG



Size 4x12" Material: Wooden Gray

Size 2x1x12" erial: Wooden Gray



WOODEN GRAY 12X24 POLISHED Code: FGR-1224P

Size 12x24" Material: Wooden Gray



WOODEN GRAY 12X24 HONED Code: FGR-1224H

Size 12x24" Material: Wooden Gray





WOODEN GRAY 3X6 BEVELED AND POLISHED Code: FGR-36BP



WOODEN GRAY 4X12 POLISHED Code: FGR-412P



WOODEN GRAY 3X6 POLISHED Code: FGR-36P



WOODEN GRAY 4X12 HONED Code: FGR-412H



WOODEN GRAY 3X6 HONED Code: FGR-36H Size 3x6" Material: Wooden Gray

Honed









WOODEN GRAY CHAIR RAIL POLISHED

Code: MGR-2P






WOODEN GRAY BASE POLISHED Code: MGR-3P




* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.











Natural • FIELD TILE COLLECTION










Natural • FIELD TILE COLLECTION





THASSOS 12X24 POLISHED / THASSOS 12X24 HONED Code: FTS-1224P / FTS-1224H





CALACATTA 3X6 BEVELED AND POLISHED Code: FCT-36BP



CALACATTA 3X6 HONED Code: FCT-36H



CALACATTA 3X6 POLISHED Code: FCT-36P



CALACATTA 4X12 POLISHED Code: FCT-412P

Size 12x24" Material: Calacatta Gold



CALACATTA 12X24 HONED / CALACATTA 12X24 POLISHED Code: FCT-1224H / FCT-1224P



* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Size 4x12" Material: Wooden Gray



Natural • FIELD TILE COLLECTION

CREMA 3X6 BEVELED AND POLISHED Code: FCR-36BP



CREMA 4X12 POLISHED Code: FCR-412P



CREMA 4X12 HONED Code: FCR-412H



BARDIGLIO 3X6 BEVELED AND POLISHED Code: FBA-36BP



BARDIGLIO 4X12 POLISHED Code: FBA-412P



BARDIGLIO 4X12 HONED Code: FBA-412H





Size 4x12" Material: Crema Marfil

WOODEN GRAY 3X6 BEVELED AND POLISHED Code: FGR-36BP



WOODEN GRAY 3X6 POLISHED Code: FGR-36P



WOODEN GRAY 3X6 HONED Code: FGR-36H



Size 3x6" Material: Vooden Gray Polished



WOODEN GRAY 4X12 POLISHED Code: FGR-412P




WOODEN GRAY 4X12 HONED Code: FGR-412H



WOODEN GRAY 12X24 HONED / WOODEN GRAY 12X24 POLISHED Code: FGR-1224H / FGR-1224P



* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.





ATHENS GRAY 3X6 BEVELED AND POLISHED Code: FAG-36BP




ATHENS GRAY 4X12 POLISHED Code: FAG-412P



ATHENS GRAY 4X12 HONED Code: FAG-412H




NERO 3X6 BEVELED AND POLISHED Code: FTX-36BP



NERO 4X12 POLISHED Code: FTX-412P





NERO 3X6 HONED Code: FTX-36H



NERO 4X12 HONED Code: FTX-412H









EQUATOR 3X6 POLISHED Code: FMR-36P




EQUATOR 4X12 HONED Code: FMR-412H





EQUATOR 4X12 POLISHED Code: FMR-412P



Code: MTX-2H









^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.















* Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or gray if used in wet areas. These are natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Let us inspire your next design project, and take you from the grand apartment houses of Paris through Northern France Chateaux's and old vintage bars. Verre is an opaque glass that can create visions o Grandeur... Verre a french milk glass created with innovative shapes, smooth lines and a creamy finish. This glass can be used in many settings, commercial or residential, create your own french Chateau...



Mir Mosaics Uniquely designed recycled glass collection in three trend driven colors and old world patterns. A milky opaque glass, that will capture the designer eye. Hexagons, mini bricks and a uniquely textured 3 dimensional basket weave.






Ceramique is our new designer crackle tile line. The uniqueness of these handmade tiles will create stunning focal points to your installation. Our glazes are beautifully hand applied and some glazes may have greater variation than others, which will give you a one of a kind, extraordinary look.




Natural • CERAMIQUE COLLECTION

PLUME BLUE Code: CMC-01




BLUE PILLOW Code: CMC-03



WHITE PILLOW Code: CMC-04



Code: CMC-02



Code: CMC-05



MOONSTONE Code: CMC-06



HEATHER Code: CMC-07




Photo features CMC-03










Photo features CMC-02, CMC-05, CMC-P08







Photo features CMC-01, CMC-06, CMC-P09



Photo features CMC-04


A walk along the beach and inspiration will transform any space with natural shells and perfectly hand-crafted mosaics in various sizes shapes and configurations. So organically beautiful...



CAPE ROYAL




COCOA BEACH Code: SMA-001



KEY WEST Code: SMA-002



Code: SME-006




SEAGATE Code: SMA-009


NAPLES Code: SMA-003



Photo features SMA-009











Code: SME-005




SANIBEL

Code: SME-004










CORONADO BEACH Code: SMA-005



Photo features SME-001A








JUPITER BEACH Code: SMA-014




TREASURE ISLAND Code: SMA-010





SATELITE BEACH Code: SMA-011



LA JOLLA COVE Code: SMA-015





Photo features SMA-010










Photo features JWS-03




Photo features JWS-05








Photo features JWS-09






Photo features JWS-02, FCA-412P









MOON SHELL Code: JWS-10








Photo features JWS-10



Photo features JWS-07

Precious metals and minerals lend themselves to create majestic metallic mosaics in this collection which include Copper, stainless, quartzite and glass. Create traditional, transitional and contemporary environments with this stunning selection of mosaics in finishes designed to accent any stone or tile.




COPPER RIM Code: MM-02





COPPER MESA Code: MM-03



COPPER VALLEY Code: MM-01











METAL PEBBLE Code: MM-26
















Photo features MM-01






Fabric and wood creations with the added crystal effect of glass. Uniquely contrasting these two essential design elements will create a modern, Zen finishing touch. Imagine the infinite possibilities...



PONDEROSA Code: SRA-01



PONDEROSA HEX Code: SRA-02



SILVER PINE Code: SRA-03



SILVER PINE HEX Code: SRA-04



SEQUOIA Code: SRA-05



SEQUOIA HEX Code: SRA-06






Photo features SRA-04





SNOW LINEN Code: SRA-07



GRAPHITE LINEN Code: SRA-09


PONDEROSA PENCIL Code: SRA-P11

SILVER PINE PENCIL Code: SRA-P12


SEQUOIA PENCIL Code: SRA-P13

SNOW LINEN PENCIL Code: SRA-P14

GRAPHITE LINEN PENCIL Code: SRA-P15



SNOW LINEN HEX Code: SRA-08



GRAPHITE LINEN HEX Code: SRA-10




Photo features SRA-06






Photo features SRA-09




Light neutral color-ways with a variety of shapes that add style and flair to your space. Translucent glass patterns that feel truly organic. Design and create that modern, traditional or transitional environment...



NORDIC HEX Code: ICL-01



GEYSER HEX Code: ICL-09



REYKJAVIK HEX Code: ICL-13




Code: ICL-02



Code: ICL-10



Code: ICL-14




NORDIC TRAPEZIUM Code: ICL-03




GEYSER TRAPEZIUM Code: ICL-11




REYKJAVIK TRAPEZIUM Code: ICL-15



NORDIC STICKS Code: ICL-04




Code: ICL-12




REYKJAVIK STICKS Code: ICL-16







ALDA HEX Code: ICL-05



ALDA TRAPEZIUM Code: ICL-07

NORDIC PENCIL Code: ICL-P17

GEYSER PENCIL Code: ICL-P18

REYKJAVIK PENCIL Code: ICL-P19

> ALDA PENCIL Code: ICL-P20





ALDA STICKS Code: ICL-08



Photo features ICL-01




Photo features ICL-05





Metallics, glass and stones, all come together in various forms, and change ordinary to extraordinary. Cool urban style, meets the Cascade mountains, and highlights of directional geometry with linear fields, all offered in an array of sizes, and finishes.
























VOYAGE

Code: CAS-033














Photo features HTC-508-M







ALLURE Code: CAS-016



PIZZAZ Code: CAS-018



DAZZLE Code: CAS-017



GALAXY Code: CAS-027



Photo features CAS-027



Photo features CAS-018



Natural ● CASCADES COLLECTION 143



SEDONA Code: CAS-029






CANYON Code: CAS-031



FUSION Code: CAS-028



ELEMENTS Code: CAS-030





PAVEMENT Code: CAS-032






Photo features CAS-029





144 Natural ● CASCADES COLLECTION 145



Photo features CAS-006




Photo features CAS-011, MOK-015

Luxurious and legendary, glass mosaics with designer textures feel the serenity of air, earth, and water. The elegant designs behind the glass mixed with stone accents create an organic feel that will add richness and refinement.



FALLING WATER PEARL Code: CAS-008



BEACH BLOCKS PEARL Code: CAS-012




REEF PEARL Code: CAS-023



FALLING WATER PUTTY Code: CAS-011



BEACH BLOCKS PUTTY Code: CAS-015



REEF PUTTY Code: CAS-024



Photo features CAS-024, FCA-1224P, MCA-3P







FALLING WATER SANDY Code: CAS-010




FALLING WATER CLIFF Code: CAS-009




BEACH BLOCKS SANDY Code: CAS-013



BEACH BLOCKS CLIFF Code: CAS-014



REEF SANDY Code: CAS-025



REEF CLIFF Code: CAS-026






Photo features CAS-013




Visually a cityscape is an artistic representation, such as a painting, drawing, print or photograph, of the physical aspects of a city or urban area. Majestic stone and mirrored reflection create images of the big city in our new line of mosaics. The introduction of a 2x8" reflective and shiny glass field, opposite the rough texture of quartzite, this gives a modern influence to your next design project. The result is a refine and finished look that is a distinctive combination of subtle neutral colors and sleek textures.




LAYERS WHITE Code: HTC-532-M



STAX WHITE Code: HTC-536-M



LAYERS GRAY Code: HTC-533-M



STAX GRAY Code: HTC-537-M



Photo features HTC-533-M





Photo features HTC-532-M




Natural ● CITYSCAPE COLLECTION


Natural ● CITYSCAPE COLLECTION




LAYERS QUARTZ Code: HTC-531-M



LAYERS BLUE Code: HTC-534-M



STAX QUARTZ Code: HTC-535-M



STAX BLUE Code: HTC-538-M








Photo features HTC-534-M



Cloud 9 glass is an artist's creation of hand-poured glass with a glossy finish. It will evoke images of fashion, and tie dye for a hipster vibe. The vintage feeling is a hot trend, and is loved by all designers. The pouring together of transparent and opaque glass results in a unique marbleized surface with exquisite movement. Three unique mosaic patterns, with a 3x9 field tile, will create incredible masterpieces.



Code: CLA-09SW



AMBER ATLAS Code: CLA-10AM





AMBER HEX Code: CLH-02AM













Photo features CLA-10AM, CLF-39AM

^{*} Expect a very high color variation from batch to batch and within the same batch. Due to the wide color variation Cloud 9 glass tiles must be properly blended before installation to achieve the best appearance. Use only epoxy grout when installing Silver White Color in wet areas.



Photo features CLA-09SW




Photo features CLH-01SW

^{*} Expect a very high color variation from batch to batch and within the same batch. Due to the wide color variation Cloud 9 glass tiles must be properly blended before installation to achieve the best appearance. Use only epoxy grout when installing Silver White Color in wet areas.

Natural ● CLOUD 9 COLLECTION 159



SILVER WHITE STRATUS Code: CLS-05SW



AMBER STRATUS Code: CLS-06AM



SILVER WHITE MOLDING Code: CLP-13SW Thickness 5/16", sheet size 0.6x12"



AMBER MOLDING Code: CLP-14AM Thickness 5/16", sheet size 0.6x12"



Photo features CLS-05SW



Photo features CLS-06AM






Photo features CLS-05SW



Photo features CLA-12BL, CLF-39BL

^{*} Expect a very high color variation from batch to batch and within the same batch. Due to the wide color variation Cloud 9 glass tiles must be properly blended before installation to achieve the best appearance. Use only epoxy grout when installing Silver White Color in wet areas.

Natural ● CLOUD 9 COLLECTION 163











BLUE HEX Code: CLH-04BL



Code: CLH-03GR

GRAY 3x9 Code: CLF-39GR



BLUE 3x9 Code: CLF-39BL



Photo features CLH-04BL



^{*} Expect a very high color variation from batch to batch and within the same batch. Due to the wide color variation Cloud 9 glass tiles must be properly blended before installation to achieve the best appearance. Use only epoxy grout when installing Silver White Color in wet areas.



Photo features CLS-07GR, FCA-1224P, SE-G09



Photo features CLH-03GR, FCA-1224H

^{*} Expect a very high color variation from batch to batch and within the same batch. Due to the wide color variation Cloud 9 glass tiles must be properly blended before installation to achieve the best appearance. Use only epoxy grout when installing Silver White Color in wet areas.

Natural ● CLOUD 9 COLLECTION 167



Thickness 5/16", sheet size 8.9x9.8"

BLUE STRATUS Code: CLS-08BL



BLUE MOLDING Code: CLP-16BL Thickness 5/16", sheet size 0.6x12"





Photo features CLH-04BL





Photo features CLS-08BL



The home of white glaciers inspires pure white mosaics for opulent designs. Crystal accents, white stone crackle glass, and sparkly white shells enhance these beauties. Put a bit of timeless luxury into your life spaces.













^{*} Variation in color, shade, finish, hardness, strength and slip resistance is inherent in Natural stone products. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.


A unique glass mosaic assortment named after and inspired by the Jewel of Europe. Famous artists create beauty with color, textures, and vision. These mosaics will bring that same vibrancy to your project. Make people chatter away about your masterpiece with these bits of sheer beauty.




MONDRIAN CHARCOAL Code: JP-305




MONDRIAN FUSCIA Code: JP-309






MONDRIAN ASH Code: JP-306



MONDRIAN EMERALD Code: JP-308




MONDRIAN SILVER Code: JP-311




Photo features JP-306







MONDRIAN COFFEE Code: JP-304




MONDRIAN VELVET Code: JP-302




PIET VELVET Code: JPH-302



MONDRIAN BRICKSTONE Code: JP-301



MONDRIAN TWILIGHT Code: JP-310



PIET TWILIGHT Code: JPH-310




Photo features JP-302












Photo features JP-310


Photo features JP-304




MONDRIAN PLUM Code: JP-307







MONDRIAN VIOLET Code: JP-303



AMSTERDAM GOLD Code: BDA-S8



Photo features JP-310







Photo features BDA-S7A on kitchen backsplash.








MICHELANGELO WHITE Code: MOK-017



MICHELANGELO GOLD Code: MOK-018




VAN GOUGH SPICE Code: WL-05A





DISTRICT GRAY Code: MOK-007



MICHELANGELO BLACK Code: MOK-019





Photo features WL-05A on the wall. Project: Hash House, Campbell CA.





Thickness 5/46" short size 12x12"

DISTRICT DARK Code: MOK-005




Photo features MOK-005




Photo features MOK-005




This Empire evokes the natural beauty of glass, stone, and manmade elements all combined together to make intense statement mosaics. Inka is a designer's paradise for one of a kind creations.




MINI PINSTRIPE Code: BDA-1514




MINI COPPER KETTLE Code: BDA-1521




MINI VERMILLION Code: BDA-1510



PINSTRIPE Code: BDA-2314



COPPER KETTLE Code: BDA-2321



VERMILLION Code: BDA-2310





Photo features BDA-2314 on bathroom wall. Project: Ciano's Modern Latin Flavors, Campbell CA.







MINI POLAR Code: BDA-1591




IMPERIAL Code: BDA-2311



SILVER STREAK Code: DSA-2304



AUTUMN Code: BDA-1522



MIRAGE Code: DSA-2301



TUSCANY Code: DSA-2305





Photo features DSA-2301 on kitchen backsplash






SUNDOWN Code: BDA-2306




MINI STEELE BLUE Code: BDA-1524




MINI REGAL Code: BDA-1594



BLAZEN Code: BDA-2307



STEELE BLUE Code: BDA-2324



PURPLE RAIN Code: MOK-231





Photo features BDA-2324 on bathroom wall. Project: Ciano's Modern Latin Flavors, Campbell CA.



Natural • INKA COLLECTION Natural • INKA COLLECTION 189



ALDER Code: BDA-2323



MINI OAK Code: BDA-1546



BLEND RAINTREE Code: BDA-2304



BLEND CYPRESS Code: BDA-2305






Photo features BDA-2304





Photo features BDA-2305




Everyone needs a bit of Glitz in their environment. Glass, metallic and amazing textured mosaics offer an infinite array of design options. These unique decorative surfaces are perfect for today's eclectic design styles.











Code: BSA-02





Code: HTC-008-15

NIGHT SKY


Code: HTC-077-15








REFLECTIONS STRAW Code: PA-007



REFLECTIONS NICKEL Code: PA-001



BLAZE PLATINUM Code: HTC-209-23




Photo features HTC-209-23





Rich jewel colors and smooth cracked glass mosaic creations, envision this collection in a wide range of design applications.








Photo features GEM-12










Photo features GEM-10




Mosaics, 3x6 and 3x12 field sizes in luscious colors of the design world composed for subtle, as well as lavish applications. Exhibit your inner passion with the colors of our palette.





















3x12*5/16"

3x12*5/16"

0.6x12*5/16"

0.6x12*5/16"





MIRAGE WHITE GLOSS Code: A-066 8x16



MIRAGE WHITE GLOSS PENCIL LINER Code: P-066



MIRAGE WHITE CHAIR RAIL Code: C-066





Photo features A-095 3x6"






SUGAR COOKIE GLOSS Code: A-085 8x16



SUGAR COOKIE GLOSS PENCIL LINER Code: P-085




SUGAR COOKIE CHAIR RAIL Code: C-085





Photo features A-085 3x12"










PALE CHAIR RAIL

Code: C-095

PALE GLOSS PENCIL LINER

Code: P-095







Photo features A-045 3x12"








Photo features A-098 3x6, A-092 3x6



0.6x12*5/16"



Natural • COLOR PALETTE COLLECTION



ICE MATTE Code: A-047M 3x6





3x12*5/16"


3x12*5/16"

3x12*5/16" **AQUA GLOSS** AQUA MATTE Code: A-041 3x12 Code: A-041M 3x12

ICE GLOSS Code: A-047 3x12

ICE MATTE Code: A-047M 3x12





ICE MATTE FLAT LINER Code: T-047M-15

0.6x12*5/16"



Code: A-042 3x6

TURQUOISE MATTE

Code: A-042M 3x6





ICE GLOSS PENCIL LINER Code: P-047

ICE CHAIR RAIL Code: C-047

TURQUOISE GLOSS FLAT LINER Code: T-042-15


0.6x12*5/16' TURQUOISE MATTE FLAT LINER Code: T-042M-15



0.6x12*5/16"



12 Natural ● COLOR PALETTE COLLECTION 213






Photo features A-143 3x6"





SHIMMER PEARL Code: B-01



SHIMMER MINERAL Code: B-03



SHIMMER HONEY Code: B-04



SHIMMER SHALE Code: B-02







Photo features B-01




Photo features B-04

This stunning collection is a deep rich metallic look. Giving you just enough Glitz and Glam! This beautifully sized glass in six color options, works well with our other stone mosaics or alone. This collection is a must see in person. Take your peek into the Galaxy.


























Photo features C-05











GALAXY SNOW PENCIL Code: GP-05


GALAXY PEWTER PENCIL
Code: GP-06

GALAXY ANTIQUE PENCIL Code: GP-09


0.6x12*5/1


GALAXY DENIM PENCIL Code: GP-10


0.6x12*5/



GALAXY AQUA PENCIL Code: GP-07










Photo features C-05





ALASKA, BALI, CITYSCAPES and HAWAII COLLECTIONS

Mosaic Maintenance and Installation Guide

Alaska, Bali, CityScapes and Hawaii Collections are decorative mosaics comprised of various mixed materials. Combinations may include glass and stone, glass, stone and ceramic, polished and honed stone. Natural stone is a product of organic formation and will have color and size variations, blemishes and chipped edges. No two pieces are exactly identical lending to the beauty and prestige of these materials. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end

Usage:

- Interior walls/Floors (some items may not be suitable for use)
- Back splashes
- Shower walls/floors (some items may not be suitable for use)
- Steam Showers (some items may not be suitable for use)
- Light/Medium/Heavy foot traffic
- · Slate Materials NOT recommended for swimming pools or areas submerged in water.
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some products in these collections may not be suitable for all areas listed above.
- · For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at: info@mir-mosaic.com for additional information on

Installation:

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation.

Natural stone and crackled glazed ceramic may vary in absorption. It is recommended to pre-seal stones and crackled glazed ceramic prior to installation. This will help prevent setting materials and grouts from staining the surface of the stone. Penetrating type sealers that leave the material looking natural are recommended for this purpose. Suggested sealer brands include but are not limited to: Dupont™ Stonetech® Professional Sealer and Agua Mix. Please refer to sealers Manufacturer instructions prior to sealing. Test in a small area before sealing entire surface to ensure suitability. Contact your purchase location for additional information on these types of sealers.

We recommend installing stones over a clean, sound, and flat concrete or mortar substrate. The surface should be free of contaminates or any condition that could compromise the bond of the tile.

Use a high quality, well maintained wet saw with a diamond blade designed for cutting stone, glass and metal materials. Using a poorly maintained tile saw or a blade will cause the tile to chip during cutting. Always cut tile very slowly to avoid chipping.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Suggested setting materials include but are not limited to:

- LATICRETE PERMACOLOR® Grout
- LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products.

To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- Do not allow soap, bleach or other cleaning solutions set on the surface.
- · Do not wax any part of your mosaic
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly. Acceptable cleaners for natural stone, glass and metal surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage grising from the purchase, use, or inability to use this product. or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty

ICELAND, SIERRA, CRYSTAL SPRINGS and CASCADES COLLECTION

Mosaic Maintenance and Installation Guide

Mosaics in these collections may be susceptible to scratching in handling, installation and use. Expect a slight color variation from production run to production run.

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

- · Interior walls/Floors (some items may not be suitable for use)
- Back splashes
- · Shower walls
- · Shower Pan
- · Light foot traffic
- · Steam showers (some items may not be suitable for use)
- · No swimming pool use
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some products in these collections may not be suitable for all areas listed above.
- · For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA and ANSI handbooks for tile and trade installation.

Installing glass tile involves some basic procedures that differ from installing ceramic tile or stone tile. Use a high quality wet saw with a diamond blade for glass tiles to cut

Make sure that glass tile is installed over the proper substrate. This is one of the most important factors in ensuring a good installation. The surface you are tiling must be clean, sound surface and free of dirt, oils, including curing compounds, and sealers. Substrate should be free of cracks and if in water should be waterproof. If necessary, use the installation material manufacturer's membrane for cracks and water protection.

Particular care should be taken to use the correct adhesive, grout and sealants. Using wrong setting material can cause damage to the color and beauty of glass mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product. Mir Group, Inc. is in no way responsible for the damages caused to glass mosaic by wrong setting material or grout.

We recommend using a white thin-set mortar or setting material for glass materials to keep color consistent with the samples. Do not spread the adhesive over large surfaces; otherwise it will dry before laying the mosaics. Once the sheet has been fitted in place, press down with a rubber tile float, making sure that the distance between the mosaic sheets is the same as the distance between each of the mosaic chips to ensure a uniform layout and equal joint widths. All installation materials should be used according to the manufacturer's instructions.

Suggested setting materials include but are not limited to:

- LATICRETE PERMACOLOR® Grout
- · LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Grouting may be done after tile is firmly set - approximately 24 hours after installation. Clean the surface with a clean, damp sponge. Allow grout to set firm or until haze forms on the tile and the grout in the joints sets firm. Use a soft, clean, dry cloth to polish off haze and remaining grout residue. Final cleaning of grout haze and tile polishing should be done with clean, dry cheesecloth within 24 hours of grouting.

Care and Maintenance

Glass mosaic is durable and stain resistant, but care should be taken to prolong the beauty of the mosaic. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- · Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- · Do not wax any part of your mosaic.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly. Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose, Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage grising from the purchase, use, or inability to use this product. or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

CERAMIQUE COLLECTION

Mosaic Maintenance and Installation Guide

The Ceramique Collection is a hand-crafted crackled glazed ceramic tile. The uniqueness of these tiles will create stunning focal points to your installation. The beautiful hand applied glazed and slight size variations give you a one of a kind

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

Usage:

- Interior walls
- Back splashes
- · Shower walls Light foot traffic
- · ALWAYS refer to the Mir Mosaic product guide provided in the catalog or

website to determine suitability for your desired installation.

 For areas exposed to extreme temperature such as fireplace hearth or behind $cook\ top\ contact\ Mir\ Mosaics\ at: \underline{info@mir-mosaic.com}\ for\ additional\ information$ on usage

Installation:

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation.

Crackled glazed ceramic may vary in absorption. It is recommended to pre-seal crackled glazed ceramic prior to installation. This will help prevent setting materials and grouts from staining the surface and bleeding into the body of the ceramic. Penetrating type sealers that leave the material looking natural are recommended for this purpose. Suggested sealer brands include but are not limited to: Dupont™ Stonetech® Professional Sealer and Aqua Mix. Please refer to sealers Manufacturer instructions prior to sealing. Test in a small area before sealing entire surface to ensure suitability. Contact your purchase location for additional information on these types of sealers.

We recommend installing ceramics over a clean, sound, and flat concrete or mortar substrate. The surface should be free of contaminates or any condition that could compromise the bond of the tile.

Use a high quality, well maintained wet saw with a diamond blade designed for cutting ceramic tiles. Using a poorly maintained tile saw or a blade will cause the tile to chip during cutting. Always cut tile very slowly to avoid chipping.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Suggested setting materials include but are not limited to:

- LATICRETE PERMACOLOR® Grout
- LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products.

To maximize the life of your hand-crafted ceramic and retain its artistic integrity, please consider the following:

- · Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- · Do not allow soap, bleach or other cleaning solutions set on the surface.
- Do not wax any part of your mosaic.
- · Do not let stains sit on your mosaic's surface for extended periods. Clean

Acceptable cleaners for ceramic, natural stone, glass and metal surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

WARRANTY

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

CLOUD 9

Field and Mosaic Installation and Maintenance Guide

The Cloud 9 collection is comprised of glass field and mosaic tiles. This uniquely layered glass is filled with color striation similar to the veining found in natural stone materials making every niece different. You are guaranteed to have a one of a kind installation with this collection. Expect a very high color variation from batch to batch and within the same batch. Due to the wide color variation Cloud 9 glass tiles must be properly blended before installation to achieve the best appearance. This glass may be susceptible to scratching in handling, installation and use.

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

Usage:

- · Interior walls
- Back splashes
- Shower walls (some sizes and colors may not be suitable for use)
- · Shower Pan (some sizes and colors may not be suitable for use)
- · Light/Medium foot traffic
- Steam Showers (Silver White color is not suitable for use)
- NOT recommended for swimming pools.
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some sizes may not be suitable for all areas listed above
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM and ANSI handbooks for tile and trade

Due to the wide color variation, Cloud 9 glass tiles must be properly blended before installation

Glass tiles larger than 6" in one direction are recognized as large format. Installation guidelines for large format glass should be followed when using the 3"x 9" field tiles as well as the ½"x 12" liners. Installing glass tile involves some basic procedures that differ from installing ceramic tile or stone tile. Use a high quality wet saw with a diamond blade for glass tiles to cut the mosaic.

Make sure that glass tile is installed over the proper substrate. This is one of the most important factors in ensuring a good installation. The surface you are tiling must be clean, sound surface and free of dirt, oils, including curing compounds, and sealers. Substrate should be free of cracks and if in water should be waterproof. If necessary, use the installation material manufacturer's membrane for cracks and water protection.

Particular care should be taken to use the correct adhesive, grout and sealants. Using the wrong setting material can cause damage to the color and beauty of glass mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product. Mir Group, Inc. is in no way responsible for the damages caused to glass mosaic by wrong setting material or grout.

We recommend using a white thin-set mortar or setting material for glass materials to keep color consistent with the samples. Do not spread the adhesive over large surfaces; otherwise it will dry before laying the mosaics. Once the sheet has been fitted in place, press down with a rubber tile float, making sure that the distance between the mosaic sheets is the same as the distance between each of the mosaic chips to ensure a uniform layout and equal joint widths. All installation materials should be used according to the manufacturer's instructions.

Suggested setting materials include but are not limited to:

- LATICRETE PERMACOLOR® Grout
- BOSTIK DIMENSIONS® DIAMOND GROUT
- · LATICRETE GTA Glass tile adhesive Mortar or Laticrete 254 Multipurpose White Thinset or

Silver White color can be used in wet areas only if grouted with Epoxy grout.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Grouting may be done after tile is firmly set – approximately 24 hours after installation. Clean the surface with a clean, damp sponge. Allow grout to set firm or until haze forms on the tile and the grout in the joints sets firm. Use a soft, clean, dry cloth to polish off haze and remaining grout residue. Final cleaning of grout haze and tile polishing should be done with clean, dry cheesecloth

Glass mosaic is durable and stain resistant, but care should be taken to prolong the beauty of the mosaic. To maximize the life of your mosaic and retain its artistic integrity, please consider

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles
- Do not wax any of the Cloud 9 glass materials.
- · Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective naterial which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

COLOR PALETTE and GALAXY collections

Installation and Maintenance Guide

The Color Palette and Galaxy collections are comprised of glass field and mosaic tiles. Some may be susceptible to scratching in handling, installation and use. Expect a slight color variation from production run to production run.

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

- Interior/Exterior walls (Galaxy is not suitable for Exterior use)
- Back splashes
- · Shower walls
- · Shower Pan (some sizes may not be suitable for use)
- Light/Medium foot traffic
- · Steam Showers. (Galaxy is not suitable for use)
- NOT recommended for swimming pools (except 1x1" mosaic).
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some sizes may not be suitable for all areas listed above
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM and ANSI handbooks for tile and trade installation.

Glass tiles larger than 6" in one direction are recognized as large format. Installation guidelines for large format glass should be followed when using the 3"x12" and 8"x16" field tiles as well as the ½" x 12" liners.

Installing glass tile involves some basic procedures that differ from installing ceramic tile or stone tile. Use a high quality wet saw with a diamond blade for glass tiles to cut the mosaic.

Make sure that glass tile is installed over the proper substrate. This is one of the most important factors in ensuring a good installation. The surface you are tiling must be clean, sound surface and free of dirt, oils, including curing compounds, and sealers. Substrate should be free of cracks and if in water should be waterproof. If necessary, use the installation material manufacturer's membrane for cracks and water protection

Particular care should be taken to use the correct adhesive, grout and sealants. Using the wrong setting material can cause damage to the color and beauty of glass mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product. Mir Group, Inc. is in no way responsible for the damages caused to glass mosaic by wrong setting material or grout.

We recommend using a white thin-set mortar or setting material for glass materials to keep color consistent with the samples. Do not spread the adhesive over large surfaces; otherwise it will dry before laving the mosaics. Once the sheet has been fitted in place, press down with a rubber tile float, making sure that the distance between the mosaic sheets is the same as the distance between each of the mosaic chips to ensure a uniform layout and equal joint widths. All installation materials should be used according to the manufacturer's instructions.

Suggested setting materials include but are not limited to:

- I ATICRETE PERMACOI OR® Grout
- LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Grouting may be done after tile is firmly set – approximately 24 hours after installation. Clean the surface with a clean, damp sponge. Allow grout to set firm or until haze forms on the tile and the grout in the joints sets firm. Use a soft, clean, dry cloth to polish off haze and remaining grout residue. Final cleaning of grout haze and tile polishing should be done with clean, dry cheesecloth within 24 hours of grouting.

Care and Maintenance

Glass mosaic is durable and stain resistant, but care should be taken to prolong the beauty of the mosaic. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- · Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- Do not wax any part of your mosaic.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

WARRANTY

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty

DC METRO, MARBELLA, MARMARA, MYKONOS, SAVANNAH, SEATTLE, VIENNA, TUSCANY, **TUXEDO PARK and VALENCIA COLLECTIONS**

Mosaic Maintenance and Installation Guide

DC Metro, Marbella, Mykonos, Savannah, Seattle, Tuxedo Park and Valencia Collections are decorative mosaics comprised of polished and honed natural stone materials. Natural stone is a product of organic formation and will have a color and size variations, blemishes and chipped edges. No two pieces are exactly identical lending to the beauty and prestige of these materials. White marbles contain naturally occurring deposits of iron which may lead to discoloration of marble and turning it yellow-rust or grey if used in wet areas. This a natural characteristics of the stone and that is why it cannot be considered as a defect in the product. MIR Mosaic is in no way responsible for discoloration of the natural stones.

Inspection:

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

Usage:

- · Interior/Exterior walls/floors
- Back splashes
 - Shower walls/floors (some products may not be suitable for use)
 - Steam Showers (some products may not be suitable for use)
 - Light/Medium/Heavy foot traffic (some products may not be suitable for use)
 - Slate Materials NOT recommended for swimming pools or areas submerged in water.
 - ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some products in these collections may not be suitable for all areas listed above.
 - For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at: info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, M.I.A. and ANSI handbooks for tile and trade installation

Due to the natural character of stone products, it is very important that the proper installation and methods are used according to the relevant industry standards. For specific questions or accepted industry standards, refer to the Marble Institute of America (www.marble-institute.com)

Natural stone may vary in absorption. It is recommended to pre-seal stones prior to installation. This will help prevent setting materials and grouts from staining the surface of the stone. Penetrating type sealers that leave the material looking natural are recommended for this purpose. Suggested sealer brands include but are not limited to: Dupont™ Stonetech® Professional Sealer and Aqua Mix. Please refer to sealers Manufacturer instructions prior to sealing. Test in a small area before sealing entire surface to ensure suitability. Contact your purchase location for additional information on these types of sealers.

We recommend installing stones over a clean, sound, and flat concrete or mortar substrate. The surface should be free of contaminates or any condition that could compromise the bond

Use a high quality, well maintained wet saw with a diamond blade designed for cutting stone materials. Using a poorly maintained tile saw or a blade will cause the tile to chip during cutting. Always cut tile very slowly to avoid chipping.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Suggested setting materials include but are not limited to

- LATICRETE PERMACOLOR® Grout
- LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar

MAINTENANCE

Stone is a natural product and care should be taken to maintain its lasting beauty. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- Do not allow soap, bleach or other cleaning solutions set on the surface.
- Do not wax any part of your mosaic.
- · Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Acceptable cleaners for natural stone surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

GEMS COLLECTION

Mosaic Maintenance and Installation Guide

The Gems Collection brings you rich jewel colors in a smooth cracked glass mosaic creation. The itile esthetic allows for a wide range of design applications.

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Glass mosaic tiles may be susceptible to scratching in handling, installation and use. Expect a slight color variation from production run to production run. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

Usage:

- Interior/Exterior walls
- Back splashes
- Shower walls/Shower Pan · Light/Medium foot traffic
- Steam Showers
- Swimming pools.
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation.
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM and ANSI handbooks for tile and trade

Installing GEM Mosaics involves some basic procedures that differ from installing ceramic tile or stone tile. Use a high quality wet saw with a diamond blade for glass tiles to cut the mosaic.

Make sure that mosaic is installed over the proper substrate. This is one of the most important factors in ensuring a good installation. The surface you are tiling must be clean, sound surface and free of dirt, oils, including curing compounds, and sealers. Substrate should be free of cracks and if in water should be waterproof.

If necessary, use the installation material manufacturer's membrane for cracks and water protection. Particular care should be taken to use the correct adhesive, grout and sealants. Using wrong setting material can cause damage to the color and beauty of glass mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product. Mir Group, Inc. is in no way responsible for the damages caused to glass mosaic by wrong setting material or arout.

We recommend using a white thin-set mortar or setting material for glass materials to keep color consistent with the samples. Do not spread the adhesive over large surfaces; otherwise it will dry before laying the mosaics.

To initiate the bond coat, use the flat side of a trowel and firmly apply glass tile approved thin-set to the substrate. To establish the proper depth of the setting bed, use a $3/16" \times 1/4" v$ -notch trowel to apply additional thin-set and comb full notches in one direction Use the flat side of the trowel to flatten the notches and achieve a smooth, consistent thin-set

Apply mosaic sheets to the thin-set setting bed, with light, even pressure. When joining the sheets, be certain to pick out a select group of glass pieces and use extra pieces (provided in plastic bag) to

When joining the sheets, be certain to pick out a select group of glass pieces and use extra pieces (provided in plastic bag) to adjust sheets so that grout lines are not uniform. Use the loose pieces provided to give a seamless appearance by bridging them between two sheets. Push together as tight as possible to reduce the appearance of any large openings. If you haven't received bag with extra pieces please contact our office so that we can send it to you. Please note that due to the format of glass pieces in GEM collection joints between sheets may still be noticeable even after filling gaps with extra glass pieces. Installing GEM collection mosaics requires 30-40% extra installation time compared to regular mosaic tiles. Please hire a qualified installer to install this

Periodically, check thin-set for skinning (slight drying). If skinning occurs, remove thin-set and reapply. To achieve the flattest possible surface, lightly tap the sheets using light pressure with a grout float or a wooden beating block and a finish hammer. To unify sheet transitions, tap from one sheet to the next. Be sure to check that no clear seams are present, adjust pieces if needed.

Suggested setting materials include but are not limited to:

adjust sheets so that grout lines are not uniform.

- LATICRETE PERMACOLOR® Grout
- BOSTIK DIMENSIONS® GROUT
- · LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and confirm the final appearance. Grouting may be done after tile is firmly set - approximately 24 hours after installation.

Glass mosaic is durable and stain resistant, but care should be taken to prolong the beauty of the mosaic. To maximize the life of your mosaic and retain its artistic integrity, please consider the

- Use only a mild. pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic
- . Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles
- . Do not wax any part of your mosaic.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty

INKA COLLECTION

Natural • TECHNICAL INFORMATION

Mosaic Installation and Maintenance Guide

Inka Collection is made of unique glass, stone and resin mosaic assortment. It allows you to create beauty with color, textures and vision. These mosaics will bring an unforgettable vibrancy to your project.

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

Usage:

- · Interior walls
- Back splashes
- Shower walls (some items may not be suitable for use)
- Shower Pan (some items may not be suitable for use)
- Light/Medium foot traffic
- NOT recommended for Steam Showers
- NOT recommended for swimming pools.
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some products in this collection may not be suitable for all areas listed above
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM and ANSI handbooks for

Installing glass and resin mosaic involves some basic procedures that differ from installing ceramic tile or stone tile. Use a high quality wet saw with a diamond blade for glass tiles to

Make sure that the mosaic tile is installed over the proper substrate. This is one of the most important factors in ensuring a good installation. The surface you are tiling must be clean, sound surface and free of dirt, oils, including curing compounds, and sealers. Substrate should be free of cracks and if in water should be waterproof. If necessary, use the installation material manufacturer's membrane for cracks and water protection.

Use of adhesive tapes such as masking tape, blue tape, painters tape, duct tape is not recommended during or after the installation process!!! These adhesives may adversely affect or damage the appearance of the mosaic tile.

Particular care should be taken to use the correct adhesive, grout and sealants. Use only unsanded grout for grouting Inka mosaics. Using the wrong setting material can cause damage to the color and beauty of glass mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product. Mir Group, Inc. is in no way responsible for the damages caused to glass and resin mosaic by wrong setting material or grout.

We recommend using a white thin-set mortar or setting material for glass materials to keep color consistent with the samples. Do not spread the adhesive over large surfaces; otherwise it will dry before laying the mosaics. Once the sheet has been fitted in place, press down with a rubber tile float, making sure that the distance between the mosaic sheets is the same as the distance between each of the mosaic chips to ensure a uniform layout and equal joint widths. All installation materials should be used according to the manufacturer's instructions.

- Suggested setting materials include but are not limited to: LATICRETE UNSANDED Grout #1600 or similar:
- LATICRETE PERMACOLOR® Grout
- · LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Grouting may be done after tile is firmly set – approximately 24 hours after installation. Clean the surface with a clean, damp sponge. Allow grout to set firm or until haze forms on the tile and the grout in the joints sets firm. Use a soft, clean, dry cloth to polish off haze and remaining grout residue. Final cleaning of grout haze and tile polishing should be done with clean, dry cheesecloth within 24 hours of grouting.

Care and Maintenance

Glass and resin mosaic is durable and stain resistant, but care should be taken to prolong the beauty of the mosaic. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- · Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the
- tiles and the grout.
- Do not wax any part of your mosaic.

• Do not let stains sit on your mosaic's surface for extended periods. Clean promptly. Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which as not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect. incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty

METALLICO COLLECTION

Mosaic Maintenance and Installation Guide

Metallico Collection, includes copper, stainless steel, quartzite and glass mosaics that will enhance the ambience of your space. These designs create traditional, transitional and contemporary appeal. When exposed to air and moisture all copper will pating over time (turns dark green). It is vital that this feature is taken into account when choosing copper mosaics as the color may change. Markings and variations seen in the surface of metal mosaic tiles are inherent qualities of the natural metal material and add to the beauty and richness of the product.

Usage:

- Interior Walls
- Shower Walls
- Backsplash
- · Light foot traffic
- NOT recommended for swimming pools, steam showers or submerged in fountains.
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some collections may not be suitable for all areas listed above.
- · For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at: info@mir-mosaic.com for additional information on

Installation:

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM, and ANSI handbooks for tile and trade installation.

Protective films on each sheet of metal tiles are to protect the metal tile surfaces and to secure them during transportation.

Few individual metal pieces may come loose when peeling off the protective film or during installation. These pieces can be glued back using any adhesives for metal. For easier handling during installation, protective plastic-film on face of each tile

should be left on until the tiles are firmly thin-set onto the tile area. Metal mosaic tiles can be cut, however you will lose the beveled edge if you cut the tile. We recommend that you design your installation by laying out the sheets to

properly measure and for spacing needed and to avoid cutting tiles as much as possible. Metal mosaic tiles can be cut on mesh using any knife or scissors. Each individual metal mosaic pieces can be cut using good diamond blade saw designed for porcelain or metal cutting. Please cut with the metal pieces facing the blade and ceramic backing down. Use of protective eyewear is recommended.

We recommend installing over a clean, sound, and flat concrete or mortar substrate. The surface should be free of contaminates or any condition that could compromise the bond of the tile.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

We recommend using regular thin set or modified thin set for ceramic wall tile application to set metal tiles with ceramic backing. Ceramic backed metal mosaics can be set just like ceramic or porcelain wall tile.

We recommend using non-sanded grout to prevent from scratching. Do not use abrasive cleaners, powders, heavy scouring pads, steel wool, sandpaper, etc. to remove grout haze or damage to the tile surface will result.

Suggested setting materials include but are not limited to:

- LATICRETE PERMACOLOR® Grout
- · LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or

Maintenance:

Metal mosaic tiles must be regularly cleaned and maintained to extend their life and beauty.

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your mosaic.
- A steel wool pad with stainless steel polisher is recommended for removing scratches. Gently rub in a circular motion first, then wipe clean with a damp cloth
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- Do not use abrasive powders, scouring pads, steel wool or sandpaper.
- **Do not** allow soap, bleach or other cleaning solutions set on the surface.
- Do not wax any part of your mosaic.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Acceptable cleaners for natural stone, glass and metal surfaces may be acquired through your Mir Mosaic purchase location or other tile dealers.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

NETHERLANDS COLLECTION

Mosaic Installation and Maintenance Guide

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

- · Interior/Exterior walls (some items may not be suitable for exterior use)
- Back splashes
- · Shower walls
- Shower Pan (some items may not be suitable for use)
- Light/Medium foot traffic
- · Steam Showers. (some items may not be suitable for use)
- NOT recommended for swimming pools.
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some products in this collection may not be suitable for all areas listed above
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM and ANSI handbooks for tile and trade installation.

Installing glass and resin mosaic involves some basic procedures that differ from installing ceramic tile or stone tile. Use a high quality wet saw with a diamond blade for glass tiles to cut the mosaic.

Make sure that the mosaic tile is installed over the proper substrate. This is one of the most important factors in ensuring a good installation. The surface you are tiling must be clean, sound surface and free of dirt, oils, including curing compounds, and sealers. Substrate should be free of cracks and if in water should be waterproof. If necessary, use the installation material manufacturer's membrane for cracks and water protection.

Particular care should be taken to use the correct adhesive, grout and sealants. Use only unsanded grout for grouting Netherlands mosaics. Using the wrong setting material can cause damage to the color and beauty of glass mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product. Mir Group, Inc. is in no way responsible for the damages caused to glass and resin mosaic by wrong setting material or grout.

We recommend using a white thin-set mortar or setting material for glass materials to keep color consistent with the samples. Do not spread the adhesive over large surfaces; otherwise it will dry before laying the mosaics. Once the sheet has been fitted in place, press down with a rubber tile float, making sure that the distance between the mosaic sheets is the same as the distance between each of the mosaic chips to ensure a uniform layout and equal joint widths. All installation materials should be used according to the manufacturer's instructions.

Suggested setting materials include but are not limited to:

- LATICRETE UNSANDED Grout #1600 or similar;
- LATICRETE PERMACOLOR® Grout
- · LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Grouting may be done after tile is firmly set - approximately 24 hours after installation. Clean the surface with a clean, damp sponge. Allow grout to set firm or until haze forms on the tile and the grout in the joints sets firm. Use a soft, clean, dry cloth to polish off haze and remaining grout residue. Final cleaning of grout haze and tile polishing should be done with clean, dry cheesecloth within 24 hours of grouting.

Care and Maintenance

Glass and resin mosaic is durable and stain resistant, but care should be taken to prolong the beauty of the mosaic. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your
- · Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- Do not wax any part of your mosaic
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly. Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

 $\textit{MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular particular$ purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

JEWELS OF THE SEA and SHELL COLLECTION

Mosaic Maintenance and Installation Guide

Jewels of the Sea and Shell Collections consists of natural shell. As a creation of mother- nature no two pieces will be exactly the same. The colors may vary from piece to piece which enhances the natural beauty of this collection.

Always inspect your tiles before they are installed, as **installation of material constitutes acceptance**. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

Usage:

- Interior walls
- Back splashes
- Shower walls/ Shower Pan (some items may not be suitable for use)
- Light foot traffic
- · NOT recommended for swimming pools
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top always referred to Mir Mosaic product guide in catalog or contact Mir Mosaics at: info@mir-mosaic.com for additional information on usage.

Please be advised that shell mosaic should not be placed in direct sunlight as this may cause it to fade over time. It is also not suitable for external use.

To prolong the life and heauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA, ASTM and ANSI handbooks for tile and trade installation.

All substrates should be firmly fixed, flat, clean, dry and free of contaminants such as dust, oil, paint, sealers etc. to ensure proper adhesion. Wet areas need special attention and require appropriate substrates, e.g. concrete, cement boards (compressed sheet),

The use of reinforced waterproof membranes is suggested.

Shell mosaic tiles can be installed around gently curved surfaces. Some alterations of the tile may be required in order to create uniformity.

The shells can easily be cut with a curved splitting clamp, glass cutter or a wet saw. The mesh back or plastic fronts can be easily cut with a utility knife.

Particular care should be taken to use the correct adhesive, grout and sealants. Using wrong setting material can cause damage to the color and beauty of glass mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product. Mir Mosaic is in no way responsible for the damages caused to the shell mosaic by wrong setting material or grout.

Follow the adhesive and grout manufacturer's instructions carefully. The shell mosaic is translucent, please be sure to use a white adhesive.

Clean excess adhesive before it completely dries on the tiles with a damp cloth or sponge.

Grouting may be done after tile is firmly set - approximately 24 hours after installation. Clean the surface with a clean, damp sponge. To avoid abrasion of the shell a non-sanded grout is recommended and should be used for grout joints that are 1/8" or less with tiles susceptible to abrasion.

Excessive grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure the surface does not scratch during grouting.

Suggested setting materials include but are not limited to:

- · Laticrete unsanded grout #1600 or similar
- Laticrete Glass tile adhesive Mortar or similar products.
- If you have any additional questions when choosing adhesive or contact us at:

Care and Maintenance

Shell mosaic tiles must be regularly cleaned and maintained to prolong the life and beauty of the tile • Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your

- · Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- · Do not allow soap, bleach or other cleaning solutions set on the surface.
- Do not wax any part of your mosaic.
- Do not let stains sit on your mosaic's surface for extended periods. Clean promptly.

Acceptable cleaners for natural stone surfaces may be acquired through your mosaic purchase location or other tile dealers.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

WARRANTY

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose, Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect, incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

VERRE COLLECTION

Natural • TECHNICAL INFORMATION

Field and Mosaic Installation and Maintenance Guide

Mir Mosaic's uniquely designed Verre Collection is recycled glass in three trend driven colors and old world patterns. This milky opaque glass is sure to capture the designer eve. In shapes such as hexagon, mini bricks and textured 3-dimensional basket weave this collection is completely charming.

Always inspect your tiles before they are installed, as installation of material constitutes acceptance. Material must be dry-laid prior to installation to verify the quality and color variation acceptability. Any questions as to acceptability must be resolved before installation. Mir Mosaic is in no way responsible for the installation of our tiles or thereafter. The responsibility for correct installation rests with the end user.

- Interior/Exterior walls (some items may not be suitable for use)
- Back splashes
- Shower walls/Shower pan (some items may not be suitable for use)
- ALWAYS refer to the Mir Mosaic product guide provided in the catalog or website to determine suitability for your desired installation. Some products in these collections may not be suitable for all areas listed above
- For areas exposed to extreme temperature such as fireplace hearth or behind cook top contact Mir Mosaics at info@mir-mosaic.com for additional information on usage.

To prolong the life and beauty of your installation, it is best to secure a licensed installer familiar with the industry standards established in the NTCA. ASTM and ANSI handbooks for tile and trade installation.

Installing glass tile involves some basic procedures that differ from installing ceramic tile or stone tile. Use a high quality wet saw with a diamond blade for glass tiles to cut

Make sure that glass tile is installed over the proper substrate. This is one of the most important factors in ensuring a good installation. The surface you are tiling must be clean, sound surface and free of dirt, oils, including curing compounds, and sealers. Substrate should be free of cracks and if in water should be waterproof. If necessary, use the installation material manufacturer's membrane for cracks and water protection.

Particular care should be taken to use the correct adhesive, grout and sealants. Using the wrong setting material can cause damage to the color and beauty of glass mosaic. The installer is responsible for choosing and using the correct installation practices to achieve an acceptable finished product. Mir Group, Inc. is in no way responsible for the damages caused to glass mosaic by wrong setting material or grout.

We recommend using a white thin-set mortar or setting material for glass materials to keep color consistent with the samples. Do not spread the adhesive over large surfaces; otherwise it will dry before laving the mosaics. Once the sheet has been fitted in place, press down with a rubber tile float, making sure that the distance between the mosaic sheets is the same as the distance between each of the mosaic chips to ensure a uniform layout and equal joint widths. All installation materials should be used according to the manufacturer's instructions.

Suggested setting materials include but are not limited to:

- LATICRETE PERMACOLOR® Grout
- · LATICRETE Glass tile adhesive Mortar or Laticrete 220 Marble & Granite Mortar or similar products.

Grout joints should be packed full and free of all voids and pits. Excess grout should be cleaned from the surface as the work progresses, while grout is fresh and before it hardens. Prior to grouting, test in a small area to make sure that the right color grout is chosen and that the surface does not scratch during grouting.

Grouting may be done after tile is firmly set - approximately 24 hours after installation. Clean the surface with a clean, damp sponge. Allow grout to set firm or until haze forms on the tile and the grout in the joints sets firm. Use a soft, clean, dry cloth to polish off haze and remaining grout residue. Final cleaning of grout haze and tile polishing should be done with clean, dry cheesecloth within 24 hours of grouting.

Care and Maintenance

Glass mosaic is durable and stain resistant, but care should be taken to prolong the beauty of the mosaic. To maximize the life of your mosaic and retain its artistic integrity, please consider the following:

- Use only a mild, pH-neutral detergent cleaner and damp sponge or rag to clean your
- Do not use acid, alkaline, and solvent-based cleaners. They can damage and/or discolor the tiles and the grout.
- · Do not wax any part of your mosaic.
- **Do not** let stains sit on your mosaic's surface for extended periods. Clean promptly.

Always test cleaner in a small inconspicuous area prior to use throughout the installation to determine suitability and use of care and maintenance products.

MIR Mosaic makes no warranties, express or implied, including merchantability or fitness for a particular purpose. Purchaser's remedy is limited to replacement or refunding the cost of defective material which has not been installed or altered in any way, and under no circumstances shall MIR Mosaic be liable for any loss or damage arising from the purchase, use, or inability to use this product, or for any special, indirect. incidental, or consequential damages. No installer, dealer, agent, or employee of MIR Mosaic has the authority to modify the obligations or limitations of this warranty.

			INI	DEX			
A		A-163 3X12	206	BDA-2306	186	CALACATTA BASE PO	DIISHED 43 97
		A-163M 1X1		BDA-2307		CALACATTA CHAIR RAII	
4-012 3X6		A-163M 3X6		BDA-2310		CALACATTA PENCIL I	
A-012 3X12		A-163M 3X12		BDA-2311		CALACATTA PENCIL I	
A-012M 3X6		ABALONE SQUARES		BDA-2314	182, 183	CAMEL GLOSS	196, 206
A-012M 3X12 A-041 1X1		AGIOS	28	BDA-2321	182	CAMEL GLOSS FLAT I	.INER206
4-041 1X1 4-041 3X6		ALA-07		BDA-2323		CAMEL MATTE	
4-041 3X12		ALA-08		BDA-2324		CAMEL MATTE FLAT	LINER 206
4-041		ALA-C11		BDA-S7A		CANYON	
A-041M 3X6		ALAMEDA		BDA-S8		CAPE ROYAL	
A-041M 3X12		ALA-S10		BEACH BLOCKS CLIFF		CAPITOL	
۸-042 1X1		ALASKAN HERRING		BEACH BLOCKS PEARL		CARRARA 1X2"HERR	
۸-042 3X6		ALASKAN PEARL		BEACH BLOCKS PUTTY		POLISHED	
۸-042 3X12		ALDA CHEVRON		BEACH BLOCKS SANDY		CARRARA 1X2" HONE	
۸-042M 1X1		ALDA HEX		BEACON HILL		CARRARA 1X3" HERR	
A-042M 3X6		ALDA STICKS		BELLEVUE CIRCLE		POLISHED	8
A-042M 3X12	211	ALDA TRAPEZIUM ALDER			50	CARRARA 1X3" HERR	
۸-045 1X1				BIANCO-NERO PENNY		HONED CARRARA 2X2" HONE	
۸-045 3X6	206	ALICANTE		BL-01CA BL-01CM		CARRARA 3X6 BEVEL	
۸-045 3X12	206, 207	ALTAMIRANO		BL-01WG			
4-045M 1X1	198	ALTEA		BL-02CA		AND POLISHED	
4-045M 3X6				BL-02CM		CARRARA 3X6 HONE	
A-045M 3X12		AMBERAMBER 3X9		BL-02WG		CARRARA 3X6 POLIS CARRARA 4X4" HEX F	
A-047 1X1		AMBER ATLAS		BL-03CA		CARRARA 4X4 HEX F	
۸-047 3X6		AMBER HEX		BL-03CM		CARRARA 4X12 HON CARRARA 4X12 POLI	
A-047 3X12		AMBER MOLDING		BL-03WG		CARRARA 4X12 POLI	
A-047M 1X1		AMBER STRATUS		BL-04CA		CARRARA 5/8X5/8"T	
A-047M 3X6		AMSTERDAM GOLD		BL-04CM		CARRARA 5/8X5/8 TO	
A-047M 3X12		AMSTERDAM SILVER		BL-04WG		CARRARA 10X10 HE	
۸-055 1X1		ANACOSTIA		BL-05CA		CARRARA 12X12 HOI	
A-055M 1X1		ANDALUSIA		BL-05CM		CARRARA 12X24 HOI	, . ,
۸-062 1X1		ANDALUSIA CREMA		BL-05WG		CARRARA 12X24 POL	
A-062M 1X1		ANGELITE		BL-06CA		CARRARA BASE POLI	
A-066 1X1		AQUA GLOSS		BL-06CM		CARRARA CHAIR RAIL	
A-066 3X6		AQUA GLOSS FLAT LINER.		BL-06WG		CARRARA HEX 1X1" H	
N-066 3X12		AQUAMARINE		BL-07CA		CARRARA HEX 1X1" F	
\-066 8X16		AQUA MATTE		BL-07CM	,	CARRARA HEX 2X2" H	
A-066M 1X1		AQUA MATTE FLAT LINER.	211	BL-07WG		CARRARA HEX 2X2" F	
A-066M 3X6		ARCADIA	32	BL-08CA		CARRARA HEX 3X3" H	
A-066M 3X12		ARDSLEY PARK		BL-08CM		CARRARA HEX 3X3" F	
\-085 1X1		AREZZO		BL-08WG		CARRARA PENCIL HO	
A-085 3X6		ARISTOCRAT		BLACK DIAMOND		CARRARA PENCIL PO	
A-085 3X12 A-085 8X16		ARLINGTON		BLAZEN		CAS-001	
4-085M 1X1		ARNO		BLAZE PLATINUM		CAS-002	
4-085M 3X6		ARTA		BLEND CYPRESS		CAS-003	
4-085M 3X12		ATHENS GRAY 3X6 BEVELI	ED	BLEND RAINTREE	188	CAS-004	
4-091 1X1		AND POLISHED	94	BLUE 3X9	162	CAS-005	136
A-091M 1X1		ATHENS GRAY 4X12 HONE	ED94	BLUE ATLAS	162	CAS-006	136, 144
4-092 1X1		ATHENS GRAY 4X12 POLIS	SHED94	BLUE HEX	162	CAS-007	138
۸-092 3X6		ATHENS GRAY BASE POLIS	SHED99	BLUE MOLDING	166	CAS-008	146
۸-092 3X12		ATHENS GRAY CHAIR RAIL F		BLUE PILLOW		CAS-009	148
۸-092M 1X1		ATHENS GRAY PENCIL PO	LISHED99	BLUE STRATUS	166	CAS-010	148
۸-092M 3X6		AUTUMN		BOCA		CAS-011	145, 146
۸-092M 3X12		AVALON		BOSPHORUS	44	CAS-012	146
۸-095 1X1		AVONDALE	56	BOWTIE	72	CAS-013	148, 149
۱-095 3X6		В		BOZCAADA	46	CAS-014	
۸-095 3X12		Б		BROOKVIEW		CAS-015	146
۸-095 3X6		B-01	214, 215	BSA-02		CAS-016	140
λ-095 8X16		B-02		BURGAZ		CAS-017	
۱۲۰۵۶ مرزی ۱۲۵ مرزی		B-03		BURIEN		CAS-018	
A-095M 3X6		B-04		BURLEITH		CAS-020	138
A-095M 3X12		BALIAN CARRARA		BURSA	44	CAS-021	
A-097 1X1		BALIAN CREMA		С		CAS-023	
A-097 3X6		BALIAN WOODEN GRAY	83			CAS-024	146, 147
۸-097 3X12		BALINESE CARRARA	76	C-01	216	CAS-025	148
A-097M 1X1		BALINESE CREMA		C-02		CAS-026	148
۸-097M 3X6		BALINESE WOODEN GRAY	/82	C-03		CAS-027	
۸-097M 3X12		BALLAR	71	C-04	216	CAS-028	142
۸-098 1X1		BARDIGLIO 3X6 BEVELED		C-05 2		CAS-029	
۸-098 3X6		AND POLISHED	70, 92	C-06		CAS-030	
۸-098 3X12		BARDIGLIO 4X12 HONED.		C-07		CAS-031	
۱-098M 1X1		BARDIGLIO 4X12 POLISHE		C-08		CAS-032	
۸-098M 3X6		BARDIGLIO BASE POLISHE		C-09		CAS-033	
۸-098M 3X12		BARDIGLIO CHAIR RAIL POI		C-10		CAS-034	
۱-143 1X1		BARDIGLIO PENCIL POLIS		C-11		CASCADES ASH	
۱-143 3X6		BATIK CARRARA		C-047		CASCADES DUSK	
λ-143 3X12		BATIK CREMA	86	C-066		CASCADES GRAFITTI	
۱-143M 1X1		BATIK WOODEN GRAY		C-085		CASCADES GRAY MIS	
۱-143M 3X6		BDA-1510		C-095		CASCADES HAZE	
۱-143M 3X12		BDA-1514		CADIZ		CASCADES REDROCK	
۱-162 1X1		BDA-1521		CALACATTA 3X6 BEVELED		CASCADES SHIMMER	
۱-162 3X6		BDA-1522		AND POLISHED		CASCADES STAINLES	
۱-162 3X12		BDA-1524		CALACATTA 3X6 HONED		CASCADES WISP	
۱-162M 1X1		BDA-1546		CALACATTA 3X6 POLISHED		CASENTINO	
i-162M 3X6		BDA-1591		CALACATTA 4X12 HONED.		CENTRO PLAZA	
	206	BDA-1594		CALACATTA 4X12 POLISHE		CERCLE BEIGE	
1-10ZIVI 3X 1Z							
4-163 1X1		BDA-2304	188	CALACATTA 12X24 HONED)42, 91	CERCLE DE PERLE	101

CHECKED PEARL		DC-H01		FGR-1224H		GRABEN	
CHESS MIDNIGHT		DC-H02		FGR-1224P		GRANADA	
CITRINE		DC-H03		FIESOLE	38	GRAPHITE LINEN	
CITRUS GLOSS		DC-H07		FLORENCE	38	GRAPHITE LINEN HEX	
CITRUS MATTE		DC-H21		FMR-36BP		GRAY 3X9	
CLA-09SW1		DC-L01		FMR-36H		GRAY ATLASGRAY CLOUD GLOSS	
CLA-10AM1		DC-NT1 DC-OV2		FMR-36P FMR-412H			
CLA-11GR		DC-0V2				GRAY CLOUD GLOSS FLAT GRAY CLOUD MATTE	
CLA-12BL1		DC-P01H		FMR-412P		GRAY CLOUD MATTE FLAT	
CLEARWATER		DC-P16		FRANCONIA		GRAY HEX	
CLEVELAND PARK		DC-PB2		FREEMONT		GRAY MOLDING	
CLF-39AM1		DC-R01		FTS-36BP		GRAY STRATUS	
CLF-39BL1		DC-R02		FTS-36H FTS-36P		GROSETTO	
CLF-39GR		DC-R02		FTS-412H		GRO3E110	
CLF-39SW		DC-S06		FTS-412P		Н	
CLH-01SW1		DC-S07		FTS-1224H		HABERSHAM	60
CLH-02AM		DC-S08		FTS-1224P		HAZE GLOSS	
CLH-03GR1		DC-S10		FTX-36BP		HAZE MATTE	
CLH-04BL 162, 1		DC-W01		FTX-36H		HEATHER	
CLOVERDALE		DC-W02		FTX-412H		HEATHER PENCIL	
CLP-13SW		DELOS		FTX-412P		HEATHER QUARTER ROUNI	
CLP-14AM		DEL RAY		FUSION		HEIGHTS	
CLP-15GR		DIAMOND			1 12	HEMINGWAY CIRCLE	
CLP-16BL		DISTRICT DARK		G		HIPSTER SHADOW	
CLS-05SW1		DISTRICT GRAY		GALAXY	140	HM-310	
CLS-06AM1 CLS-07GR1		DISTRICT LIGHT		GALAXY ANTIQUE		HOFBURG	
		DIXON PARK		GALAXY ANTIQUEGALAXY ANTIQUE PENCIL		HTC-008-15	
CLS-08BL 1 CMC-01 1		DOWNTOWN		GALAXY AQUA		HTC-009-15	
		DSA-2301		GALAXY AQUA PENCIL		HTC-077-15	
CMC-021	UZ, 1UD NO 102	DSA-2304		GALAXY ASH		HTC-209-23	
CMC-031 CMC-041		DSA-2305		GALAXY ASH PENCIL		HTC-508-M	
		DUPONT CIRCLE		GALAXY DENIM		HTC-516-M	
CMC-051		_		GALAXY DENIM PENCIL		HTC-531-M	152
CMC-07		E		GALAXY ICE		HTC-532-M	
		EDIRNE	44	GALAXY ICE PENCIL		HTC-533-M	150
CMC-P081 CMC-P091		ELBA		GALAXY PEARL		HTC-534-M	
CMC-P10		ELEMENTS		GALAXY PEARL PENCIL		HTC-535-M	152
CMC-Q11		ELIA	30	GALAXY PEWTER		HTC-536-M	150
CMC-Q12		ELLIS SQUARE		GALAXY PEWTER PENCIL.		HTC-537-M	150
CMC-Q13		EMBASSY ROW	16	GALAXY SAND	216	HTC-538-M	
COBALT BLUE GLOSS		EMPOLI	40	GALAXY SAND PENCIL	216	HTC-540	152
COBALT BLUE GLOSS FLAT LINE		EQUATOR 3X6 BEVELED		GALAXY SMOKE	216	1	
COBALT BLUE MATTE		AND POLISHED	46, 95	GALAXY SMOKE PENCIL	216	•	
COBALT BLUE MATTE FLAT LINE		EQUATOR 3X6 HONED	46, 95	GALAXY SNOW	218	ICE CHAIR RAIL	
COBBLESTONE BLEND		EQUATOR 3X6 POLISHED)46, 95	GALAXY SNOW PENCIL	218	ICE GLOSS	198, 210
COBBLESTONE GLOSS1		EQUATOR 4X12 HONED.		GALAXY SUEDE	219	ICE GLOSS FLAT LINER	
COBBLESTONE GLOSS FLAT LIN		EQUATOR 4X12 POLISHE		GALAXY SUEDE PENCIL	219	ICE GLOSS PENCIL LINER	
COBBLESTONE MATTE1		EQUATOR BASEBOARD		GANDIA		ICE MATTE	
COBBLESTONE MATTE FLAT LIN		EQUATOR CHAIR RAIL		GEM-1		ICE MATTE FLAT LINER	
COCOA BEACH		EQUATOR PENCIL	46, 97	GEM-2		ICICLE	
CONSTITUTION SOUARE		F		GEM-3		ICL-01	
COPPER CANYON				GEM-4		ICL-02	
COPPER KETTLE		FAG-36BP		GEM-5		ICL-03	
COPPER MESA		FAG-412H		GEM-6		ICL-04	
COPPER RIM		FAG-412P		GEM-7		ICL-05	
COPPER VALLEY		FALLING WATER CLIFF		GEM-10 (WL-05R)		ICL-06	
CORONADO BEACH		FALLING WATER PEARL		GEM-11 (WL-11R)		ICL-07 ICL-08	
CORTONA		FALLING WATER PUTTY		GEM-12			
COSTERA		FALLING WATER SANDY.		GEORGETOWN		ICL-09 ICL-10	
CREMA 1X3" HERRINGBONE		FBA-36BP	70, 92	GEORGETOWN GRAY			
CREMA 2X2" HEX HONED		FBA-412H		GEYSER CHEVRON		ICL-11 ICL-12	
CREMA 2X2" HEX POLISHED		FBA-412P FCA-36BP		GEYSER HEXGEYSER STICKS		ICL-13	
CREMA 3X6 BEVELED		FCA-36H		GEYSER TRAPEZIUM		ICL-14	
AND POLISHED54	, 87, 92	FCA-36P		GIALOS		ICL-14	
CREMA 4X12 HONED54	, 87, 92	FCA-412H		GIBRALTAR		ICL-16	
CREMA 4X12 POLISHED54	, 87, 92	FCA-412P26,		GLACAGE BRIQUE		IMPERIAL	
CREMA BASE POLISHED54		FCA-416H20,		GLACAGE BRIQUE		INDEPENDENCE SQUARE	
CREMA CHAIR RAIL POLISHED54	1, 87, 98	FCA-1212H		GLACAGE TISSE		INDI CARRARA	
CREMA PENCIL POLISHED54	, 87, 98	FCA-1212P		GLACIER BEACH		INDI CREMA	
CREPE BRIQUE	100	FCA-1224H		GLACIER BRICK		INDI WOODEN GRAY	
CREPE FORME		FCA-1224P21, 24, 77, 8		GLACIER CRACKLE		INLAY	
CREPE TISSE		FCA-D04		GLACIER PEARL		ISTANBUL	46
CRYSTAL CITY	18	FCR-36BP		GLACIER SPARKLE			
D		FCR-412H		GLACIER STONE		J	
		FCR-412P		GLIMMER		JP-301	172
DANUBE		FCT-36BP		GOLDEN PEARL		JP-302	
DARDANELLES		FCT-36H		GP-01		JP-303	
DAYTONA BEACH		FCT-36P		GP-02		JP-304	
DAZZLE		FCT-412H		GP-03	216	JP-305	170
DC-B09		FCT-412P		GP-04		JP-306	
DC-B23		FCT-1224H		GP-05		JP-307	176
	16	FCT-1224P	42, 91	GP-06		JP-308	170
DC-B31					210		
DC-B32	16	FGR-36BP		GP-07		JP-309	
DC-B32 DC-F03	16 20	FGR-36H	65, 85, 93	GP-08	218	JP-3101	72, 174, 176
DC-B32 DC-F03 DC-G12	16 20 20	FGR-36H FGR-36P	65, 85, 93 65, 85, 93	GP-08 GP-09	218 219	JP-3101 JP-311	72, 174, 176 170
DC-B32 DC-F03	16 20 20 18	FGR-36H	65, 85, 93 65, 85, 93 65, 85, 93	GP-08	218 219 219	JP-3101	72, 174, 176 170 172

INDEX

		II.
JUPITER BEACH	112	MALIBU110
JWS-01		MANTRA CARRARA78
JWS-02		MANTRA CREMA86
JWS-03		MANTRA WOODEN GRAY82
JWS-04		MAREMMA38
JWS-05 JWS-06		MARGARITA GLOSS198, 206 MARGARITA GLOSS FLAT LINER 206
JWS-07		MARGARITA GLOSS FLAT LINER 200 MARGARITA MATTE198, 206
JWS-08		MARGARITA MATTE FLAT LINER 206
JWS-09		MBA-1P70, 98
JWS-10		MBA-2P23, 70, 98
V		MBA-3P23, 70, 98
K		MCA-1H26, 96
KALAFATI		MCA-1P26, 96
KALORAMA		MCA-2P25, 26, 96 MCA-3P11, 25, 26, 96, 147
KAPARI		MCR-1P54, 87, 98
KAYTON		MCR-2P54, 87, 98
KB-B02		MCR-3P54, 87, 98
KB-B04		MCT-1H43, 97
KB-B05		MCT-1P43, 97
KB-B06		MCT-2P43, 97
KB-B07		MCT-3P43, 97
KB-B11		METAL CIRCLE127
KB-B12	14, 15	METAL PEBBLE126
KB-C02		MGR-1P
KB-CV01		MGR-2P5, 61, 64, 65, 85, 99 MGR-3P61, 65, 85, 99
KB-CV04		MIAMI112
KB-E01		MICHELANGELO BLACK178
KB-E02		MICHELANGELO GOLD178
KB-G02H	,	MICHELANGELO WHITE178
KB-G02P		MINI COPPER KETTLE182
KB-G03H		MINI OAK188
KB-G03P	6	MINI PINSTRIPE182
KB-G06H		MINI POLAR
KB-G06P		MINI STEELE BLUE
KB-G10H		MINI VERMILLION
KB-G11H		MIRAGE184
KB-H04P		MIRAGE WHITE CHAIR RAIL200
KB-H05P		MIRAGE WHITE GLOSS196, 200
KB-OV3T		MIRAGE WHITE GLOSS FLAT LINER 200
KB-P03P		MIRAGE WHITE GLOSS PENCIL LINER 200
KB-P04T	14	MIRAGE WHITE MATTE196, 200
KB-P05P		MIRAGE WHITE MATTE FLAT LINER200 MKN-0132, 33
KB-P22		MKN-0132, 33
KB-P29		MKN-0328, 32
KB-P30		MKN-0428
KB-P31		MKN-0528, 29
KB-R03H		MKN-0632
KB-S03T		MKN-0728
KB-S04H		MKN-0832
KERRY PARK		MKN-0930
KEY WEST	108	MKN-1032 MKN-1130
		MKN-1130
-		MKN-1430, 31
LAFAYETTE PARK		MKN-1530, 31
LAGUNA GLOSS	198, 212	MKN-1628
LAGUNA GLOSS FLAT LINER		MKN-G3030
LAGUNA MATTE LAGUNA MATTE FLAT LINER		MM-01126, 127
LA JOLLA COVE		MM-02126
LAYERS BLUE		MM-10 126
LAYERS GRAY		MM-10126 MM-24127
LAYERS QUARTZ		MM-25127
LAYERS WHITE		MM-26126
LEAF CARRARA		MMR-1P46, 97
LEAF CREMA		MMR-2P46, 97
LEAF WOODEN GRAY		MMR-3P46, 97
LESCHI		MOK-005180, 181
LIVORNO LOGAN CIRCLE		MOK-006
LOGAN CIRCLE CADET		MOK-007
LOGAN CIRCLE HONED		MOK-013
LUCCA		MOK-014 168 MOK-015145, 168, 169
		MOK-013
М		MOK-017178
M067-25P		MOK-018178
M067-25T		MOK-019 178
M97/37-SL		MOK-020168
MADISON PARK		MOK-231
MADRONA		MONCADA54
MAG-1P MAG-2P		MONDRIAN ASH
MAG-3P		MONDRIAN BRICKSTONE172 MONDRIAN CHARCOAL170
MAJESTIC		MONDRIAN CHARCOAL170
MALAGA		MONDRIAN COTTEL
MALAGA NERO		MONDRIAN FUSCIA170

X			
MONDRIAN PLUM	176	PENN QUARTER	16
MONDRIAN SILVER		PEWTER GLOSS	196, 208
MONDRIAN TWILIGHT		PEWTER GLOSS FLAT LINE	
MONDRIAN VELVET		PEWTER MATTE	
MONDRIAN VIOLET MONDRIAN WATER		PEWTER MATTE FLAT LINE PEWTER VALLEY	
MOON SHELL		PIENZA	
MOONSTONE		PIET TWILIGHT	
MOONSTONE PENCIL		PIET VELVET	
MOONSTONE QUARTER ROU		PIKE PLACE	
MOUNT BAKER		PINOSO	
MRM-01		PINSTRIPE	
MRM-CV05 MRM-CV06		PISA PIZZAZ	
MRM-G28		PLANTATION	
MRM-H12		PLAZA	
MRM-R05		PLAZA NERO	
MRM-S16		PLUME BLUE	
MRM-S17		PLUME WHITE	
MSD-428		POMPANO	
MTS-1P		PONDEROSA HEX	
MTS-2P MTS-3P		PORT BLEND	
MT. VERNON SQUARE		POTOMAC	
MTX-1H		PRATO	
MTX-1P	75, 95	PST-053	190
MTX-2H	75, 95	PURPLE RAIN	186
MTX-2P		Q	
MURCIA			
MUSEUM HEX		QUENELLE	64
MM-19	120	R	
N		RAVENNA	60
NAPLES	108	RAYA	
NAUTILUS		RAYA AZUL	
NERO 3X6 BEVELED		REEF CLIFF	
AND POLISHED		REEF PEARL	146
NERO 3X6 HONED		REEF PUTTY	
NERO 4X12 HONED		REEF SANDY	
NERO 4X12 POLISHED NERO CHAIR RAIL HONED		REFLECTIONS INDIGO	
NERO CHAIR RAIL POLISHED		REFLECTIONS NICKEL REFLECTIONS STRAW	
NERO PENCIL HONED		REMBRANDT ALOE	
NERO PENCIL POLISHED		REYKJAVIK CHEVRON	
NERO PENNY	72	REYKJAVIK HEX	
NERO SQUARE POLISHED		REYKJAVIK STICKS	133
NERO SQUARE TUMBLED		REYKJAVIK TRAPEZIUM	
NIGHT SKY		ROCK CREEK	
NORDIC CHEVRON		RONDA	
NORDIC HEX		ROSE QUARTZ	
NORDIC STICKS		RUBY	
NORDIC TRAPEZIUM	133		
0		S	
		SAMOS	
OAKDALE		SANDFLY	
OAKWOOD		SANIBEL	
OLD CITY BLANCO		SATELITE BEACH	
OLD QUARTER		SAVANNAH SQUARE SEA DIAMONDS	
OLD TOWN		SEAGATE	
OLD TOWN NERO		SEASCAPE	
OLYMPUS		SEA SPRAY	
ORNOS	28	SE-B10	
OVAL OFFICE	17	SE-B14 (SE-B09)	
P		SE-B22	
D 047	210	SE-B25	
P-047 P-066		SE-D01 SEDONA	
P-085		SE-F01	
P-095		SE-G07	
PA-001		SE-G08	
PA-003	191	SE-G09	25, 68, 164
PA-007		SE-G19	
PACIFIC RIM CARRARA		SE-G32	
PACIFIC RIM CREMA		SE-H11	
PACIFIC RIM WOODEN GRAY PALE CHAIR RAIL		SE-L02 SE-NT2	
PALE GLOSS		SE-P02P	
PALE GLOSS FLAT LINER		SE-P06P	
PALE GLOSS PENCIL LINER		SE-P07	
PALE MATTE		SEQUOIA	128
PALE MATTE FLAT LINER	204	SEQUOIA HEX	128
PANAGIA		SEVILLE	
PANORMOS		SHADOW GLOSS	
PANSY		SHADOW MATTE	
PARAGA		SHAPED METAL CIRCLE SHIMMER HONEY	
PAKOS PAVEMENT		SHIMMER HONEYSHIMMER MINERAL	
PEARLISLAND		SHIMMER PEARI	

SHIMMER PEARL.

.... 169

INDEX

PEARL ISLAND..

SHIMMER SHALE	214	SUMATRA WOODEN GRAY	82	THASSOS PENCIL POLISHED35, 96	VL-H0652
SIENA		SUNDOWN		TOPAZ194	VL-R0452
SIERRA		SV-32SL		TOURLOS30	VL-S1153
SIESTA OVAL TUMBLED	14	SV-B08		TREASURE ISLAND 112	VNA-B3450
SIESTA PENNY POLISHED	14	SV-B21	62	TROY44	VNA-B3550
SIESTA PENNY TUMBLED	14	SV-B24		TRUFFLE BRIQUE100	VNA-D0750
SIESTA POLISHED	8	SV-D02		TRUFFLE FORME 100	VNA-D0850, 51
SIESTA TUMBLED	8	SV-D05		TRUFFLE TISSE 101	VOYAGE138
SILVER CANYON	127	SV-F02		TSC-0136	VRE-01100
SILVER CREEK		SV-G04	56, 57	TSC-A0138	VRE-02100
SILVER PINE		SV-G05P	58	TSC-B3336	VRE-03100
SILVER PINE HEX		SV-G18		TSC-CV0636	VRE-04100
SILVER STREAK		SV-G31	58	TSC-D0638, 39	VRE-05100
SILVER WHITE 3X9		SV-H08		TSC-G22H40	VRE-06100
SILVER WHITE ATLAS		SV-IR01		TSC-G23P40	VRE-07101
SILVER WHITE HEX		SV-IR02		TSC-G24H37, 40	VRE-08101
SILVER WHITE MOLDING		SV-IR03		TSC-G2540, 41	VRE-09101
SILVER WHITE STRATUS		SV-IR04		TSC-H09H36	VRE-10101
SMA-001		SV-OV1		TSC-OC0138	VRE-11101
SMA-002		SV-P10P		TSC-P12P38	VRE-12101
SMA-003		SV-P15		TSC-P14H38	14/
SMA-004		SV-P54		TSC-R0640	W
SMA-005		SV-P55		TSC-S1240	WAKEFIELD20
SMA-007		SV-PB14		TSC-S1336	WAVE18
SMA-008		SV-S02		TSC-S1436, 37	WHEAT GLOSS196, 206
SMA-00910		SV-S81		TUNDRA138	WHEAT GLOSS FLAT LINER206
SMA-01011		SV-SC5	60, 61	TURQUOISE CLOUD GLOSS198	WHEAT MATTE196, 206
SMA-011		т		TURQUOISE CLOUD MATTE198	WHEAT MATTE FLAT LINER206
SMA-012		•		TURQUOISE GLOSS211	WHITE PILLOW
SMA-014		T-012-15	212	TURQUOISE GLOSS FLAT LINE 211	WHITE SQUARE20
SMA-015		T-012M-15	212	TURQUOISE MATTE211	WINDSOR58
SMA-016	110	T-041-15	211	TURQUOISE MATTE FLAT LINER 211	WL-05A178, 179
SME-001A11		T-041M-15	211	TUSCANY 184	WL-19A
SME-001B		T-042-15	211	TUSK102	WOODEN GRAY 3X6 BEVELED
SME-004		T-042M-15	211	TUSK PENCIL104	AND POLISHED65, 85, 93
SME-005		T-045-15	206	TUSK QUARTER ROUND104	WOODEN GRAY 3X6 HONED 65, 85, 93
SME-006		T-045M-15		TX-B01P33, 74	WOODEN GRAY 3X6
SNOW LINEN		T-047-15	210	TX-B01P (KB-B01)74	POLISHED65, 85, 93
SNOW LINEN HEX		T-047M-15	210	TX-B29H72	WOODEN GRAY 4X12
SODO		T-066-15	200	TX-B30P72	HONED65, 85, 93
SOUTH BEACH		T-066M-15		TX-G15H72	WOODEN GRAY 4X12
SOUTH SEA		T-085-15		TX-G16H72	POLISHED65, 85, 93
SRA-01		T-085M-15		TX-G17P75	WOODEN GRAY 12X24
SRA-02		T-092-15		TX-P08T72	HONED64, 84, 93
SRA-03		T-092M-15		TX-P09T72	WOODEN GRAY 12X24
SRA-0412		T-095-15		TX-S09P (M009-20P)74	POLISHED64, 84, 93
SRA-05		T-095M-15		TX-S09T73	WOODEN GRAY BASE
SRA-0612		T-097-15		TX-S09T (M009-20T)74	POLISHED65, 85, 99
SRA-07		T-097M-15		TYBEE62	WOODEN GRAY CHAIR RAIL
SRA-08		T-098-15		U	POLISHED65, 85, 99
SRA-0913		T-098M-15		LIBRAN	WOODEN GRAY PENCIL
SRA-10		T-143-15		URBAN70	POLISHED65, 85, 99
STAX BLUE		T-143M-15		V	WOODEN NICKELS58
STAX GRAY		T-162-15			WOODEN PENNY POLISHED60
STAX QUARTZ		T-162M-15		VAN GOUGH JADE 178	WOODLEY PARK20
STAX WHITE		T-163-15		VAN GOUGH SPICE178	WRIGHT SQUARE62
STEELE BLUE		T-163M-15		VERMILLION	Wildin SQUARE
STERLING GLOSS		THASSOS 3X6 BEVELED		VICTORY SQUARE56	Z
STERLING MATTE		AND POLISHED		VL-B20 (KB-B20)52	ZAFRA53
SUGAR COOKIE CHAIR RAIL		THASSOS 3X6 HONED		VL-B2654, 55	ZIRCON
SUGAR COOKIE GLOSS19		THASSOS 3X6 POLISHED		VL-B2753	
SUGAR COOKIE GLOSS FLAT LINER		THASSOS 4X12 HONED		VL-B2853	SYMBOLS
SUGAR COOKIE GLOSS PENCIL LIN		THASSOS 4X12 POLISHED		VL-D0352	2"NEDO HEV HONED 72
SUGAR COOKIE MATTE19		THASSOS 12X24 HONED		VL-G14H52	2" NERO HEX HONED72
SUGAR COOKIE MATTE FLAT LINER		THASSOS 12X24 POLISHED		VL-G14P52, 53, 55	6" NERO BIANCO HEX POLISHED75
SUMATRA CARRARA		THASSOS BASE POLISHED		VL-G2154	10" NERO HEX HONED72
SUMATRA CREMA	00	THASSOS CHAIR RAIL POLISHE	v33, 96	VL-G3353	0132-MP10

 $This catalog \ or \ any \ part \ of \ it \ may \ not \ be \ reproduced \ without \ prior \ written \ authorization \ from \ MIR \ Mosaic \ signed \ by \ its \ executives. \ Copyright \ Laws$ protect the content of this catalogue including the pictures and designs of mosaics. MIR Mosaic reserves all rights to this catalogue and the mosaic designs therein, including the right to bring legal action for Copyright infringement. MIR Mosaic is a trademark of MIR Group, Inc.
Pictures shown in the catalog are intended to be used as a guide only and may vary from an actual product. We suggest checking current lot

samples before making final selection.

Description of usage symbols:



Low traffic floors




High traffic floors



Shower wall



Shower pan





Swimming pool

Pictures shown in the catalog are intended to be used as a guide only and may vary from an actual product. Please check tile samples before making final selections.



COUNTERTOP BOX FOR 4X5" SWATCH CARDS



4X5" SWATCH CARDS



4X7" MIR DISPLAY CARD WITH HOLE FOR HOOK



LARGE ARCHITECTURAL BOX FOR 4X5" SWATCH CARDS



SMALL ARCHITECTURAL BOX FOR 4X5" SWATCH CARDS



3X15" MIR DISPLAY CARD WITH HOLE FOR HOOK



6X12" WHITE BOARDS



12X12" WHITE BOARDS WITH 2" CLEAT FOR A SLATWALL WITH 3" CLEAT FOR A SLATWALL



8X16" WHITE BOARDS WITH 3" CLEAT FOR A SLATWALL



ALMA MIX

WITH 3" CLEAT FOR A SLATWALL



12X18" CONCEPT BOARDS WITH 3" CLEAT FOR A SLATWALL



ALMA ARCHITECTURAL

BINDERS

MIR DISPLAY TOWER #1 FOR 4X7" AND 3X15" CARDS



Natural • MARKETING TOOLS

231

MIR DISPLAY TOWER #2 FOR 6X12" OR 12X12" BOARDS



